



ENGINE & PERFORMANCE WAREHOUSE



ALBUQUERQUE
ANAHEIM
ANCHORAGE
DALLAS
DENVER
HOUSTON
MEMPHIS
OAKLAND
OKLAHOMA CITY
PHOENIX
PORTLAND
SAN ANTONIO
TACOMA

(505) 761-0100
(714) 634-3803
(907) 563-7278
(214) 637-3301
(303) 572-8844
(713) 862-2929
(901) 480-4431
(510) 569-9802
(405) 942-8435
(602) 272-0191
(503) 691-6251
(210) 224-8424

(877) 767-0100
(800) 634-0969
(800) 288-5573 (AK Only)
(800) 284-5348
(800) 888-8970
(800) 288-6548
(866) 917-4728
(800) 234-1410
(800) 937-3652
(888) 272-0191
(800) 876-5152
(800) 423-2707
(800) 876-5152

4200 Edith Blvd. NE / Albuquerque, NM 87107
1815 S. Lewis St. / Anaheim, CA 92805
5631 Silverado Way, Unit E / Anchorage, AK 99518
4930 Cash Road / Dallas, TX 75247
955 Decatur, Unit D / Denver, CO 80204
8302 Jet Pilot Street / Houston, TX 77075
3340 Democrat Road / Memphis, TN 38118
8200 Capwell Drive / Oakland, CA 94621
4230-B Charter Ave. / Oklahoma City, OK 73108
2902 W. Windsor, #2 / Phoenix, AZ 85009
21099 SW 115th Ave / Tualatin, OR 97062
3335 N. Pan Am Expressway / San Antonio, TX 78219
7515-B Portland Ave. E. / Tacoma, WA 98404

SE HABLA ESPANOL (800) 650-1747



Push Rods

O.E. Replacement Push Rods by Application

Application	Dia. & Length	Part #	EPWI Each	Elite Each
AMC 199, 232	5/16 x 9.414	PR331	\$1.48	\$1.33
AMC 232, 258	5/16 x 9.594	PR301	.88	.79
AMC 232, 258	5/16 x 9.656	PR332	1.48	1.33
AMC 232, 258, GM 425	5/16 x 9.622	PR333	.98	.88
AMC 258	5/16 x 9.700	PR353	.84	.76
AMC 290, 343, 390	5/16 x 7.735	PR326	.88	.79
AMC, SB Chevy	5/16 x 7.794	PR34B	.59	.53
Buick 225, 300, 400, 425, 430	5/16 x 8.723	PR314	1.18	1.06
Buick 231	5/16 x 7.882	PR364	.78	.70
Cadillac 368, 425, 472, 500	11/32 x 10.198	PR305	.98	.88
Chevy 173, 189	5/16 x 6.163	PR342	.74	.67
Chevy 216, 235, 261	5/16 x 11.108	PR32L	1.77	1.59
Chevy BB	5/16 x 8.230	PR379	.68	.61
Chevy BB	5/16 x 9.200	PR380	.68	.61
Chevy BB	3/8 x 8.280	PR44	1.58	1.42
Chevy BB	3/8 x 9.252	PR44A	1.68	1.51
Chrysler 198, 225	5/16 x 9.830	PR152	2.18	1.96
Chrysler 201, 230	5/16 x 5.125	PR435	.84	.76
Chrysler 225	5/16 x 10.009	PR345	.98	.88
Chrysler 239, 273, 318, 340, 360, 400	5/16 x 7.530	PR405	1.18	1.06
Chrysler 239, 318	5/16 x 6.802	PR371	1.18	1.06
Chrysler 239, 318, 360	5/16 x 6.931	PR462	1.32	1.19
Chrysler 273	5/16 x 7.342	PR155	1.88	1.69
Chrysler 273, 318, 340, 360	5/16 x 7.510	PR324	.71	.64
Chrysler 277, 318	5/16 x 8.418	PR55	1.78	1.60
Chrysler 350, 361, 383	5/16 x 8.635	PR56	1.78	1.60
Chrysler 359	3/8 x 10.863	PR448	1.88	1.69
Chrysler 361	5/16 x 9.513	PR320	1.18	1.06
Chrysler 383, 400	5/16 x 8.575	PR321	.87	.78
Chrysler 383, 413, 426, 440	5/16 x 9.375	PR151	1.88	1.69
Chrysler 413	5/16 x 10.265	PR322	1.14	1.03
Chrysler 440	5/16 x 9.315	PR323	.98	.88
Chrysler 5.7L HEMI	5/16 x 6.610	PR652	1.38	1.24
Chrysler 5.7L HEMI	5/16 x 7.840	PR653	1.38	1.24

Application	Dia. & Length	Part #	EPWI Each	Elite Each
Ford 140 HSC	5/16 x 8.880	PR369	\$.94	\$.85
Ford 144, 170, 200	5/16 x 7.857	PR81	1.98	1.78
Ford 159, 171	5/16 x 5.242	PR337	1.29	1.16
Ford 170, 200	5/16 x 8.350	PR313	.84	.76
Ford 170, 200	5/16 x 8.410	PR313A	1.18	1.06
Ford 182	5/16 x 5.330	PR465	1.18	1.06
Ford 182	5/16 x 5.958	PR377	1.08	.97
Ford 215, 223, 262, 279	5/16 x 9.447	PR80	1.74	1.57
Ford 221, 260, 289, 302	5/16 x 6.804	PR279	.78	.70
Ford 232	5/16 x 7.770	PR356	.78	.70
Ford 232, 256	5/16 x 7.137	PR434	.84	.76
Ford 239, 256, 272, 292; 262 (6)	5/16 x 8.258	PR71	5.98	5.38
Ford 240, 300	5/16 x 10.080	PR306B	1.08	.97
Ford 240, 300	5/16 x 10.140	PR306	.65	.59
Ford 250	5/16 x 9.330	PR325	1.38	1.24
Ford 250	5/16 x 9.390	PR325A	1.08	.97
Ford 255, 302	5/16 x 6.816	PR281B	.79	.71
Ford 255, 302	5/16 x 6.876	PR281	.59	.53
Ford 255, 302	5/16 x 6.936	PR281A	.79	.71
Ford 272, 292, 312	5/16 x 7.967	PR73	1.74	1.57
Ford 302	5/16 x 6.272	PR366	.98	.88
Ford 332, 352, 390, 406, 427, 428	11/32 x 9.157	PR78	1.74	1.57
Ford 332, 352, 390, 427, 428	5/16 x 9.590	PR312	.63	.57
Ford 351, 370, 429, 460	5/16 x 8.492	PR275	1.28	1.15
Ford 351, Pontiac 151	5/16 x 8.383	PR282	.94	.85
Ford 351C	5/16 x 8.346	PR309A	1.68	1.51
Ford 351C	5/16 x 8.408	PR309	.63	.57
Ford 351C	5/16 x 8.470	PR309B	1.08	.97
Ford 351M, 400	5/16 x 9.440	PR310B	.89	.80
Ford 351M, 400	5/16 x 9.500	PR310	.63	.57
Ford 351M, 400	5/16 x 9.560	PR310A	.89	.80
Ford 351W	5/16 x 8.092	PR280B	.84	.76
Ford 351W	5/16 x 8.152	PR280	.63	.57
Ford 351W	5/16 x 8.182	PR339	.64	.58
Ford 351W	5/16 x 8.212	PR280A	.84	.76

continued.....

See EPWI line card for additional Elite Customer Discount details.

Effective 8/15/2016 • See Catalog for specific applications. Prices subject to change without notice.
Prices in Alaska and Hawaii may vary.



Push Rods

O.E. Replacement Push Rods by Application *continued*

Application	Dia. & Length	Part #	EPWI Each	Elite Each
Ford 352, 361, 390, 410, 427, 428	5/16 x 9.560	PR311B	\$.84	\$.76
Ford 352, 361, 390, 410, 427, 428	5/16 x 9.620	PR311	.64	.58
Ford 352, 361, 390, 410, 427, 428	5/16 x 9.680	PR311A	.84	.76
Ford 383, 430, 462	5/16 x 9.770	PR328	1.28	1.15
Ford 429, 460	5/16 x 8.550	PR274	.73	.66
Ford 429, 460	5/16 x 8.588	PR308B	1.58	1.42
Ford 429, 460	5/16 x 8.616	PR274A	.78	.70
Ford 429, 460	5/16 x 8.648	PR308	.99	.89
Ford 429, 460 GMC 181, 231	5/16 x 8.693	PR103B	.68	.61
Ford Diesel 7.3L (94-03 VIN F)	11/32 x 9.989	PR611	2.00	1.80
GM 122, 134	3/8 x 7.700	PR445	1.48	1.33
GM-ISUZU 134	3/8 x 7.518	PR610	2.00	1.80
GM 151	5/16 x 8.272	PR372	1.18	1.06
GM 151	5/16 x 8.906	PR338	1.18	1.06
GM 151	5/16 x 8.976	PR347	1.28	1.15
GM 151, 215, 250, 350	5/16 x 9.682	PR317	.94	.85
GM 173, 189	5/16 x 6.043	PR375	1.18	1.06
GM 173, 189	5/16 x 6.390	PR376	1.09	.98
GM 173, 189, 207, 213	5/16 x 5.746	PR475	1.38	1.24
GM 173, 189, 207, 213	5/16 x 6.074	PR474	1.38	1.24
GM 181	5/16 x 7.260	PR363	.84	.76
GM 200, 229, 262, 265, 267, 283, 302, 305, 307, 327, 348, 350, 400	5/16 x 7.894	PR385	.98	.88
GM 216	5/16 x 10.309	PR30L	1.96	1.76
GM 225, 229, 300, 401, 425	5/16 x 8.615	PR13B	1.58	1.42
GM 231	11/32 x 7.963	PR384	.98	.88
GM 235, 248, 261, 265, 302	5/16 x 10.444	PR31L	1.77	1.59
GM 250	11/32 x 8.200	PR354	.94	.85
GM 260, 307, 350	5/16 x 7.701	PR365	.98	.88
GM 262, 305, 350	5/16 x 7.195	PR373	.85	.77
GM 264, 322	5/16 x 8.414	PR7B	1.18	1.06
GM 303, 371, 394	5/16 x 9.278	PR91B	1.78	1.60
GM 340, 430	5/16 x 9.355	PR315	1.18	1.06
GM 350	5/16 x 9.668	PR316	1.18	1.06

Application	Dia. & Length	Part #	EPWI Each	Elite Each
GM 365, 390	5/16 x 9.570	PR21	\$1.84	\$1.66
GM 366	5/16 x 8.574	PR463	1.38	1.24
GM 366	5/16 x 9.544	PR464	1.38	1.24
GM 379, 395	3/8 x 8.821	PR609	1.88	1.69
GM 390, 429	5/16 x 9.130	PR22	1.78	1.60
GM 396, 402, 427, 454	5/16 x 8.280	PR230	.88	.79
GM 396, 402, 427, 454	5/16 x 9.252	PR230A	.88	.79
GM 400	11/32 x 9.200	PR107	1.68	1.51
GM 429	11/32 x 9.100	PR304	1.78	1.60
GM 454	5/16 x 8.182	PR460	.98	.88
GM 454	5/16 x 9.162	PR454	1.28	1.15
GM 455	5/16 x 9.378	PR302	1.08	.97
GM LS	5/16 x 7.400	PR614	1.38	1.24
GMC Truck 292	5/16 x 11.382	PR318	.84	.76
GMC Truck 351, 379, 401, 432	5/16 x 7.645	PR121	1.88	1.69
GMC Truck 366, 427	3/8 x 8.680	PR45	1.88	1.69
GMC Truck 366, 427	3/8 x 9.643	PR45A	1.88	1.69
IHC 152, 266, 304	3/8 x 8.560	PR202	2.48	2.23
IHC 196, 345, 392	3/8 x 9.360	PR200	2.28	2.05
IHC 196, 345, 392	3/8 x 9.749	PR201	2.28	2.05
IHC 220, 240, 241, 264, 301	3/8 x 12.531	PR205	2.78	2.50
IHC 404, 446	11/32 x 10.326	PR340	1.18	1.06
IHC 420, 445	11/32 x 10.013	PR608	1.88	1.69
Jeep 150	5/16 x 9.485	PR378	.92	.83
Jeep 242	5/16 x 9.639	PR437	.94	.85
Jeep 258, 350	5/16 x 9.727	PR399	1.18	1.06
Jeep 350	5/16 x 9.668	PR303	1.08	.97
Olds 260, 287	5/16 x 9.652	PR335A	.98	.88
Olds 260, 307, 350	5/16 x 8.248	PR343	.78	.70
Olds 260, 330, 350	5/16 x 8.234	PR307	.69	.62
Olds 400, 455	5/16 x 9.547	PR327	.84	.76
Pontiac 265, 301	5/16 x 8.045	PR344	1.04	.94
Pontiac 350, 370, 389, 400	5/16 x 9.136	PR105	.72	.65

High Performance Push Rods by Application

Application	Dia. & Length	Part #	EPWI Each	Elite Each
Chevy SB H/P Std. Length	5/16 x 7.800	PR737	\$2.98	\$2.68
Chevy SB H/P .100 Long	5/16 x 7.900	PR777	3.18	2.86
Chevy BB H/P Exhaust Std. Length	3/8 x 9.252	PR714	3.48	3.13
Chevy BB H/P Exhaust Std. Length	7/16 x 9.250	PR732	4.48	4.03
Chevy BB H/P Intake Std. Length	3/8 x 8.280	PR713	3.48	3.13
Chevy BB H/P Intake Std. Length	7/16 x 8.280	PR731	4.48	4.03
Chrysler 318, 340, 360	5/16 x 7.513	PR759	3.38	3.04
Ford SB H/P Std. Length to Chg. L4	5/16 x 6.776	PR763	3.28	2.95
Ford 255, 302	5/16 x 6.886	PR748	2.98	2.68
Ford 332, 352, 390, 410, 427, 428	11/32 x 9.339	PR705	4.58	4.12

Application	Dia. & Length	Part #	EPWI Each	Elite Each
Ford 351C	5/16 x 8.408	PR750	\$3.88	\$3.49
Ford 351W	5/16 x 8.144	PR747	2.98	2.68
Ford 351W	5/16 x 8.182	PR776	5.88	5.29
Ford BB H/P Std. Length (68-4/1/69)	5/16 x 8.693	PR764	3.28	2.95
GM 200, 229, 262, 265, 267, 283, 302, 305, 307, 327, 348, 350, 400	5/16 x 7.794	PR751	4.58	4.12
GM 287, 316, 348, 350, 370, 389, 400, 409, 428, 455	5/16 x 9.130	PR726	3.68	3.31
GM 427	3/8 x 8.680	PR765	4.78	4.30

Cross-Reference by Size on following pages.

See EPWI line card for additional Elite Customer Discount details.
Effective 8/15/2016 • See Catalog for specific applications. Prices subject to change without notice.
Prices in Alaska and Hawaii may vary.



Push Rods

O.E. Replacement Push Rods by Size

Dia. & Length	Part #	Application	EPWI Each	Elite Each
5/16 x 5.125	PR435	Chrysler 201, 230	\$.84	\$.76
5/16 x 5.242	PR337	Ford 159, 171	1.29	1.16
5/16 x 5.330	PR465	Ford 182	1.18	1.06
5/16 x 5.746	PR475	GM 173, 189, 207, 213	1.38	1.24
5/16 x 5.958	PR377	Ford 182	1.08	.97
5/16 x 6.043	PR375	GM 173, 189	1.18	1.06
5/16 x 6.074	PR474	GM 173, 189, 207, 213	1.38	1.24
5/16 x 6.163	PR342	Chevy 173, 189	.74	.67
5/16 x 6.272	PR366	Ford 302	.98	.88
5/16 x 6.390	PR376	GM 173, 189	1.09	.98
5/16 x 6.610	PR652	Chrysler 5.7L HEMI	1.38	1.24
5/16 x 6.802	PR371	Chrysler 239, 318	1.18	1.06
5/16 x 6.804	PR279	Ford 221, 260, 289, 302	.78	.70
5/16 x 6.816	PR281B	Ford 255, 302	.79	.71
5/16 x 6.876	PR281	Ford 255, 302	.59	.53
5/16 x 6.931	PR462	Chrysler 239, 318, 360	1.32	1.19
5/16 x 6.936	PR281A	Ford 255, 302	.79	.71
5/16 x 7.137	PR434	Ford 232, 256	.84	.76
5/16 x 7.195	PR373	GM 262, 305, 350	.85	.77
5/16 x 7.260	PR363	GM 181	.84	.76
5/16 x 7.342	PR155	Chrysler 273	1.88	1.69
5/16 x 7.400	PR614	GM LS	1.38	1.24
5/16 x 7.510	PR324	Chrysler 273, 318, 340, 360	.71	.64
5/16 x 7.530	PR405	Chrysler 239, 273, 318, 340, 360, 400	1.18	1.06
5/16 x 7.645	PR121	GMC Truck 351, 379, 401, 432	1.88	1.69
5/16 x 7.701	PR365	GM 260, 307, 350	.98	.88
5/16 x 7.735	PR326	AMC 290, 343, 390	.88	.79
5/16 x 7.770	PR356	Ford 232	.78	.70
5/16 x 7.794	PR348	AMC, SB Chevy	.59	.53
5/16 x 7.840	PR653	Chrysler 5.7L HEMI	1.38	1.24
5/16 x 7.857	PR81	Ford 144, 170, 200	1.98	1.78
5/16 x 7.882	PR364	Buick 231	.78	.70
5/16 x 7.894	PR385	GM 200, 229, 262, 265, 267, 283, 302, 305, 307, 327, 348, 350, 400	.98	.88
5/16 x 7.967	PR73	Ford 272, 292, 312	1.74	1.57
5/16 x 8.045	PR344	Pontiac 265, 301	1.04	.94
5/16 x 8.092	PR280B	Ford 351W	.84	.76
5/16 x 8.152	PR280	Ford 351W	.63	.57
5/16 x 8.182	PR339	Ford 351W	.64	.58
5/16 x 8.182	PR776	Ford 351W - High Perf.	5.88	5.29
5/16 x 8.182	PR460	GM 454	.98	.88
5/16 x 8.212	PR280A	Ford 351W	.84	.76
5/16 x 8.230	PR379	BB Chevy	.68	.61
5/16 x 8.234	PR307	Olds 260, 330, 350	.69	.62
5/16 x 8.248	PR343	Olds 260, 307, 350	.78	.70
5/16 x 8.258	PR71	Ford 239, 256, 272, 292; 262 (6)	5.98	5.38
5/16 x 8.272	PR372	GM 151	1.18	1.06
5/16 x 8.280	PR230	GM 396, 402, 427, 454	.88	.79
5/16 x 8.346	PR309A	Ford 351C	1.68	1.51
5/16 x 8.350	PR313	Ford 170, 200	.84	.76
5/16 x 8.383	PR282	Ford 351, Pontiac 151	.94	.85
5/16 x 8.408	PR309	Ford 351C	.63	.57
5/16 x 8.410	PR313A	Ford 170, 200	1.18	1.06
5/16 x 8.414	PR7B	GM 264, 322	1.18	1.06
5/16 x 8.418	PR55	Chrysler 277, 318	1.78	1.60
5/16 x 8.470	PR309B	Ford 351C	1.08	.97
5/16 x 8.492	PR275	Ford 351, 370, 429, 460	1.28	1.15
5/16 x 8.550	PR274	Ford 429, 460	.73	.66
5/16 x 8.574	PR463	GM 366	1.38	1.24
5/16 x 8.575	PR321	Chrysler 383, 400	.87	.78
5/16 x 8.588	PR308B	Ford 429, 460	1.58	1.42
5/16 x 8.615	PR13B	GM 225, 229, 300, 401, 425	1.58	1.42
5/16 x 8.616	PR274A	Ford 429, 460	.78	.70
5/16 x 8.635	PR56	Chrysler 350, 361, 383	1.78	1.60
5/16 x 8.648	PR308	Ford 429, 460	.99	.89
5/16 x 8.693	PR103B	Ford 429, 460 GMC 181, 231	.68	.61
5/16 x 8.723	PR314	Buick 225, 300, 400, 425, 430	1.18	1.06
5/16 x 8.880	PR369	Ford 140HSC	.94	.85
5/16 x 8.906	PR338	GM 151	1.18	1.06

Dia. & Length	Part #	Application	EPWI Each	Elite Each
5/16 x 8.976	PR347	GM 151	\$1.28	\$1.15
5/16 x 9.130	PR22	GM 390, 429	1.78	1.60
5/16 x 9.136	PR105	Pontiac 350, 370, 389, 400	.72	.65
5/16 x 9.162	PR454	GM 454	1.28	1.15
5/16 x 9.200	PR380	BB Chevy	.68	.61
5/16 x 9.252	PR230A	GM 396, 402, 427, 454	.88	.79
5/16 x 9.278	PR91B	GM 303, 371, 394	1.78	1.60
5/16 x 9.315	PR323	Chrysler 440	.98	.88
5/16 x 9.330	PR325	Ford 250	1.38	1.24
5/16 x 9.355	PR315	GM 340, 430	1.18	1.06
5/16 x 9.375	PR151	Chrysler 383, 413, 426, 440	1.88	1.69
5/16 x 9.378	PR302	GM 455	1.08	.97
5/16 x 9.390	PR325A	Ford 250	1.08	.97
5/16 x 9.414	PR331	AMC 199, 232	1.48	1.33
5/16 x 9.440	PR310B	Ford 351M, 400	.89	.80
5/16 x 9.447	PR80	Ford 215, 223, 262, 279	1.74	1.57
5/16 x 9.485	PR378	Jeep 150	.92	.83
5/16 x 9.500	PR310	Ford 351M, 400	.63	.57
5/16 x 9.513	PR320	Chrysler 361	1.18	1.06
5/16 x 9.544	PR464	GM 366	1.38	1.24
5/16 x 9.547	PR327	Olds 400, 455	.84	.76
5/16 x 9.560	PR310A	Ford 351M, 400	.89	.80
5/16 x 9.560	PR311B	Ford 352, 361, 390, 410, 427, 428	.84	.76
5/16 x 9.570	PR21	GM 365, 390	1.84	1.66
5/16 x 9.590	PR312	Ford 332, 352, 390, 427, 428	.63	.57
5/16 x 9.594	PR301	AMC 232, 258	.88	.79
5/16 x 9.620	PR311	Ford 352, 361, 390, 410, 427, 428	.64	.58
5/16 x 9.622	PR333	AMC 232, 258, GM 425	.98	.88
5/16 x 9.639	PR437	Jeep 242	.94	.85
5/16 x 9.652	PR335A	Olds 260, 287	.98	.88
5/16 x 9.656	PR332	AMC 232, 258	1.48	1.33
5/16 x 9.668	PR303	Jeep 350	1.08	.97
5/16 x 9.668	PR316	GM 350	1.18	1.06
5/16 x 9.680	PR311A	Ford 352, 361, 390, 410, 427, 428	.84	.76
5/16 x 9.682	PR317	GM 151, 215, 250, 350	.94	.85
5/16 x 9.700	PR353	AMC 258	.84	.76
5/16 x 9.727	PR399	Jeep 258, 350	1.18	1.06
5/16 x 9.770	PR328	Ford 383, 430, 462	1.28	1.15
5/16 x 9.830	PR152	Chrysler 198, 225	2.18	1.96
5/16 x 10.009	PR345	Chrysler 225	.98	.88
5/16 x 10.080	PR306B	Ford 240, 300	1.08	.97
5/16 x 10.140	PR306	Ford 240, 300	.65	.59
5/16 x 10.265	PR322	Chrysler 413	1.14	1.03
5/16 x 10.309	PR30L	GM 216	1.96	1.76
5/16 x 10.444	PR31L	GM 235, 248, 261, 265, 302	1.77	1.59
5/16 x 11.108	PR32L	Chevy 216, 235, 261	1.77	1.59
5/16 x 11.382	PR318	GMC Truck 292	.84	.76
11/32 x 7.963	PR384	GM 231	.98	.88
11/32 x 8.200	PR354	GM 250	.94	.85
11/32 x 9.100	PR304	GM 429	1.78	1.60
11/32 x 9.157	PR78	Ford 332, 352, 390, 406, 427, 428	1.74	1.57
11/32 x 9.200	PR107	GM 400	1.68	1.51
11/32 x 9.989	PR611	Ford Diesel 7.3L (94-03 VIN F)	2.00	1.80
11/32 x 10.013	PR608	IHC 420, 445	1.88	1.69
11/32 x 10.198	PR305	Cadillac 368, 425, 472, 500	.98	.88
11/32 x 10.326	PR340	IHC 404, 446	1.18	1.06
3/8 x 7.700	PR445	GM 122, 134	1.48	1.33
3/8 x 7.518	PR610	GM-ISUZU 134	2.00	1.80
3/8 x 8.821	PR609	GM 379, 395	1.88	1.69
3/8 x 8.280	PR44	BB Chevy	1.58	1.42
3/8 x 8.560	PR202	IHC 152, 266, 304	2.48	2.23
3/8 x 8.680	PR45	GMC Truck 366, 427	1.88	1.69
3/8 x 9.252	PR44A	BB Chevy	1.68	1.51
3/8 x 9.360	PR200	IHC 196, 345, 392	2.28	2.05
3/8 x 9.643	PR45A	GMC Truck 366, 427	1.88	1.69
3/8 x 9.749	PR201	IHC 196, 345, 392	2.28	2.05
3/8 x 10.863	PR448	Chrysler 359	1.88	1.69
3/8 x 11.555	PR170	Jeep 134	2.38	2.14
3/8 x 12.531	PR205	IHC 220, 240, 241, 264, 301	2.78	2.50

High Performance Push Rods by Size on back page.

See EPWI line card for additional Elite Customer Discount details.

Effective 8/15/2016 • See Catalog for specific applications. Prices subject to change without notice. Prices in Alaska and Hawaii may vary.



Push Rods

High Performance Push Rods by Size

Dia. & Length	Part #	Application	EPWI Each	Elite Each
5/16 x 6.776	PR763	SB Ford - High Perf. - Std. Length to Chg. L4	\$3.28	\$2.95
5/16 x 6.886	PR748	Ford 255, 302 - High Perf.	2.98	2.68
5/16 x 7.513	PR759	Chrysler 318, 340, 360 - High Perf.	3.38	3.04
5/16 x 7.794	PR751	GM 200, 229, 262, 265, 267, 283, 302, 305, 307, 327, 348, 350, 400 - High Perf.	4.58	4.12
5/16 x 7.800	PR737	SB Chevy - High Perf. - Std. Length	2.98	2.68
5/16 x 7.900	PR777	SB Chevy - High Perf. - .100 Long	3.18	2.86
5/16 x 8.144	PR747	Ford 351W - High Perf.	2.98	2.68
5/16 x 8.182	PR776	Ford 351W - High Perf.	5.88	5.29
5/16 x 8.408	PR750	Ford 351C - High Perf.	3.88	3.49

Dia. & Length	Part #	Application	EPWI Each	Elite Each
5/16 x 8.693	PR764	BB Ford - High Perf. - Std. Length (68-4/1/69)	\$3.28	\$2.95
5/16 x 9.130	PR726	GM 287, 316, 348, 350, 370, 389, 400, 409, 428, 455	3.68	3.31
11/32 x 9.339	PR705	Ford 332, 352, 390, 410, 427, 428	4.58	4.12
3/8 x 8.280	PR713	BB Chevy H/P Intake Std. Length	3.48	3.13
3/8 x 8.680	PR765	GM 427 - High Perf.	4.78	4.30
3/8 x 9.252	PR714	BB Chevy H/P Exhaust Std. Length	3.48	3.13
7/16 x 8.280	PR731	BB Chevy H/P Intake Std. Length	4.48	4.03
7/16 x 9.250	PR732	BB Chevy H/P Exhaust Std. Length	4.48	4.03